

Quality:	CONTURA MAP SL	Collection:	Projection
Construction:	tufted 1/12" loop pile, Solution Dyed	Pile material:	100% polyamide
Backing:	CoaTEX heavy duty backing, free of bitumen and PVCs	Carrier material:	PES-Fleece

CE

1658-CPD-1161
Vorwerk & Co. Teppichwerke
GmbH & Co. KG
Kuhlmannstrasse 11
D – 31785 Hameln

EN 14041: 2004

EN 1307

CARPETS TESTED FOR A BETTER LIVING ENVIRONMENT
 CONTAMINANT-TESTED

24436
 Schönebergstraße 2 D-52068 AACHEN
 www.gut-w.de

GEMENSCHAP UNWELTFREUNDLICHER TEPPICHBODEN
 TEPPICHBODEN SCHADSTOFFGEPRÜFT
 MOOILLETES TESTES POUR LA QUALITE DE VOTRE ENVIRONNEMENT
 TESTES SUR LA PRESENCE DE SUBSTANCES NOUVELES
 GETEST OP SCHADELIJKE STOFFEN
 TAPIJT GETEST VOOR EEN BETER LEEFMILIEU

TUV NORD Systems
 GmbH & Co. KG

Voluntary Material Test
 According to TUV NORD Standard

Suitable for Allergic Persons
 Wall to wall carpet of allergen-tested material
 SEGB-2010/97

Vorwerk & Co.
 Teppichwerke
 GmbH & Co. KG
 D – 31785 Hameln

ABZ-Nr: Z-156.601-527
 Emissionsgeprüfter Bodenbelag
 nach DIBt-Grundsätzen

TEXtiles
VORWERK SL



Gauge / 10 cm	ca.	47	Pile inset weight g/m ²	ca.	660
Tufts / 10 cm	ca.	52	Primary backing weight g/m ²	ca.	120
Points dm ²	ca.	2444	Total weight g/m ²	ca.	3770
Pile thickness mm	ca.	2,5	Weight of backing g/m ²	ca.	2940
Total thickness mm	ca.	7,3	Weight of pile material g/m ²	ca.	330
			Pile density g/cm ³	ca.	0,132

Castor chair test	DIN EN 985	r > 2,4	
Sound impact	DIN EN ISO 717-2	Δ Lw	25 dB
Sound absorption	DIN EN ISO 354	Hz	125 250 500 1.000 2.000 4.000
		αs	0,00 0,05 0,20 0,19 0,23 0,34
Heat flux	DIN ISO 8302: 1991	1/λ =	< 0,17 m ² K/W
Fire rating	DIN EN 13501-1		B _{fl} -S1 glued or unglued

Static resistance	DIN EN 1815 Bl. 2	< 2,0	KV	b. 25% rel. F.
Surface resistance	DIN ISO/DIS 10965 Bl. 1 R _{OT}	< 10 ¹⁰	Ω	b. 25% rel. F.
Vertical resistance	DIN ISO/DIS 10965 Bl. 1 R _{DT}	< 10 ¹⁰	Ω	b. 25% rel. F.
Fastness to Water	DIN EN ISO 105-E 01	Colour-changes	N. 5	
Fastness to light	DIN EN ISO 105-B 02		N. 6	
Fastness to rubbing	DIN EN ISO 105-X 12		N. 5	

This quality is suitable for fitting on subfloors with underfloor heating. To avoid changes in measurements we recommend a slip-preventive and lasting-stick adhesive substance for self laying carpets tiles. Laying instructions: refer to our current cleaning and fitting instructions. Due to constant improvements and further developments of our products, we reserve the right to adapt our technical details accordingly. Current data sheets available at www.vorwerk-teppich.de